

Prices effective February 2, 2015 Published May 2015

Resolve® System

10-Day or Less

Introduction	page 2
Resolve® System 10-Day or Less	3
Infrastructure	5
Work Surfaces	15
Storage	18
Display Components	25
Lighting	28
Indices	29
By Name	29
By Number	31
Appendices	
10-Day or Less Order Information	
10-Day Keyed-Alike Information	
Proprietary Textiles Application Chart - 10-Day Workspac	es
Proprietary Textile Colors - 10-Day Workspaces	
For the latest materials information, refer to the Materials	pages on HermanMiller.com.

A Note on the Organization of This Book

There are a few signals that will help you understand the organization of this book. Once you know them, you should be able to find your way around easily.

Like a newspaper, this book is formatted with columns of text and illustrations that run vertically.

Information wraps from one column to the next and continues for as many pages as it needs to.

Black bars are clues.

A black bar at the top of a page signals the start of information about a product.

Specification Information, which always begins at the top of a column, includes a series of steps. Each step represents a decision you need to make in order to complete your product number. Steps must be followed sequentially. The number of pages needed to complete information on a product varies; some will be complete in one page; others may fill three or four pages. Just continue going through the steps until you run into the next product, signaled by the black bar at the top of the page.

Black tabs running along the outside edge of the page help you locate what section you are in or what section you want to go to. You can thumb forwards or backwards to find a section; tabs and text appear on both sides of the page.

The additional pages in the back of the book include the appendices and indices. They are signaled by a long black bar running along the outside edge of the page.

The index is presented two ways.

The first index is in alphabetical order by product name. It can be helpful if you are new to the products and numbering scheme or if you are looking for a type of product, such as work chair or round table. The second index is by product number. It lists, in alphanumeric order, the base product number, typically a five-digit number.

General Information

This book is effective February 2, 2015, subject to change without notice. Products may be purchased from authorized Herman Miller dealers who will quote prices upon request. For more information about our products and services or to see a list of dealers, visit www.HermanMiller.com.


All prices are list prices. Additional services, such as planning services, design, storage, and installation, are not included and must be added to these prices when the additional services are requested.

Illustrations, specifications, and prices are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice in prices, fabrics, finishes, materials, specifications, and models, and also to discontinue models and finishes.

For additional product information such as demensional drawings and product descriptions, refer to the standard price books.

Service problems are normally handled by a Herman Miller authorized dealer. Where this cannot be accomplished on a local level, service problems should be referred to the Customer Care Representative for your region, Herman Miller, Inc., Zeeland, Michigan 49464.

Infrastructure Work Surfaces Storage **Display Components** Lighting



Step 1.

R1110.

Step 2. Power


nonpowered, with cutouts

P powered

Prices for Steps 1-2. R1110. N \$655 \$1048

Step 3.	. Pole/Crown Finish	
LU	soft white	+\$o
CN	metallic champagne	+\$30
MS	metallic silver	+\$30

Step 2	4. Base/Trim Finish	
8Q	folkstone grey	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o



Specification Information

Step 1.

R1120.

C .		11 .	1 .
Ste	n 2.	Heig	rht

48" high 48 60 60" high

Step 3. Power

N nonpowered, with cutouts


powered

Prices for Steps 1-3.		
	N	P
R1120. 48	\$376	638
60	\$443	702

Step 2	4. Pole Finish	
LU	soft white	+\$o
CN	metallic champagne	+\$15
MS	metallic silver	+\$15

Step	5. Base/Trim Finish	
8Q	folkstone grey	+ \$o
LU	soft white	+\$ o
WL	sandstone	+\$o

In-Line Pole R1140. **Support Arms** R1210.



Specification Information

R1140.

Resolve® Infrastructure


Step 2. Height 48" high

60 60" high

Prices for Steps 1-2. R1140. 48 \$305 60 \$373

Step 3. Pole Finish LU soft white **+**\$o CN metallic champagne +\$20 MS metallic silver +\$20

Step 4. Base/Top Cap Finish 8Q folkstone grey +\$o LU soft white +\$o WL sandstone +\$o



Specification Information

Step 1.

R1210.

Step 2. Length

48 48" long

60 60" long

Prices for Steps 1-2.

R1210. 48 \$238 \$279

60


Step 3. Finish LU soft white **+**\$0 CN metallic champagne +\$15

metallic silver MS +\$15 **Fixed Truss**

R1220.

Floor/Wall Power Entry

R1320.



Specification Information	
Step 1.	
R1220	


Step 2. Length 048 48" long 60" long 060 096 96" long 108 108" long 120 120" long

Step 3. Power powered

Prices for Steps 1-3. Ρ R1220. 048 \$518 060 \$594 096 \$851 108 \$922 120 \$1004

Step 4.	. Truss/Bracket Finish	
LU	soft white	+\$0
CN	metallic champagne	+\$10
MS	metallic silver	+\$10
Stop	. Trough Finish	

. mough minon		
folkstone grey	+\$0	
soft white	+\$0	
sandstone	+\$0	
	folkstone grey soft white	folkstone grey +\$0 soft white +\$0




Specification Information

Step 1.

R132	0.	
Step	2. Length	
06	6' long	
Price	s for Steps 1-2.	
R132	0. 06	\$224
Step	3. Receptacle Filler Finish	
	£-114	*
8Q	folkstone grey	+\$0
8Q LU	soft white	+\$0 +\$0 +\$0

Resolve® Infrastructure



Specification Information

Step 1.

R1332.

Step 2. Mesh Wrap Length

02 2' long


06 6' long

Step 3. Power

P powered

Prices for Steps 1-3.

R1332. 02 \$378 06 \$525



Specification Information

Step 1.

R1351.

Step 2. Length

048 48" long

060 60" long

Step 3. Power

N nonpowered

P powered

Prices for Steps 1-3.		
	N	Р
R1351. 048	\$151	333
060	\$166	392

Step 2	4. Bracket Finish	
LU	soft white	+ \$o
CN	metallic champagne	+\$o
MS	metallic silver	+\$o


Step 5. Channel Finish 8Q folkstone grey +\$0 LU soft white +\$0 WL sandstone +\$0

R1311.

Power Jumper Conversion Kit, Power/Data Channel

R1341.

Duplex Receptacle



Speci	fication	Inform	ation
Spear	HOSTHOIL		:11(0)11


Step 1.

R1341.

Step 2	. Length	
096	96" long	
120	120" long	

Prices for Steps 1-2.	
R1341. 096	\$328
120	\$392

Step 3	3. Finish	
8Q	folkstone grey	+\$o
LU	soft white	+\$ o
WL	sandstone	+\$o



Specification Information


Step 1.

R1311.


Step 2. Circuit Type			
Α	circuit a		
В	circuit b		
C	circuit c		
XI	circuit x, isolated ground		


Prices for Steps 1-2.	
R1311. A	\$236
В	\$236
С	\$236
XI	\$236

Step	3. Finish	
8Q	folkstone grey	+\$0
LU	soft white	+\$o
wı	sandstone	+\$0




Resolve® Infrastructure






Spe	cification Information	
Step	1.	
R1361.37		\$163
Step	2. Finish	
8Q	folkstone grey	+\$0
LU	soft white	+\$0
wı	sandstone	+\$0



Speci	fication Information	
Step 1.		
R1362.		\$43
Step 2	Finish folkstone grey	+\$0
LU WL	soft white sandstone	+\$0 +\$0 +\$0




Specification Information			
Step 1.			
R1365.		\$75	
Step 2. Clip Finish			
8Q	folkstone grey	+\$ 0	
LU	soft white	+\$0	
WL	sandstone	+\$0	

Communication Port Faceplate Extender

G1189.


Boundary Screen

R1410.



Resolve® Infrastructure

Specification Information			
Step 1.			
G1189	G1189.B		
Step 2.	Surface Finish		
8Q	folkstone grey	+ \$0	
BU	black umber	+\$o	
CL	cool grey neutral	+ \$o	
HF	inner tone light	+ \$o	
MT	medium tone	+ \$o	
WL	sandstone	+ \$o	
WN	warm grey neutral	+ \$o	




Step 2. Upper Support Arm Height

Specification Information
Step 1.
R1410.

48	48" upper support arm height
60	6o" upper support arm height
Step 3	. Screen Width
48	48" wide
60	6o" wide

Prices for Steps 1-3.		
	48	60
R1410. 48	\$131	163
60	\$171	213

Step 4. Fabric		
See DOT® collection list for fabric numbers. First 2	2 digits of number	
indicate fabric line; remaining digits indicate imag	ge.	
	48	60
Price Category 1	+\$0	0
Price Category 3	+\$25	31



Step 1.

R1420.

Step 2.	Upper Support Arm Height
48	48" upper support arm height


60 60" upper support arm height

Step :	3. Screen Width			
48	48" wide			
60	6o" wide			

Prices for Steps 1-3.		
	48	60
R1420. 48	\$364	454
60	\$485	604

Step 4. Fabric
See application chart and textiles list for fabric usage and numbers.
First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$0



Specification Information

Step 1.

R1450.

Step 2. Upper Support Arm Height

6048 60" upper support arm height

Prices for Steps 1-2.	
R1450. 6048	\$881

Step 3	3. Bracket Finish	
LU	soft white	+\$0
CN	metallic champagne	+\$o
MS	metallic silver	+\$0
Step 4	4. Holder Finish	
8Q	folkstone grey	+ \$o
LU	soft white	+\$0
WL	sandstone	+\$ o



Step 1.

R1430.

Step 2. Assembly

frame and canopy fabric

Prices for Steps 1-2.	
R1430. F	\$36

Step :	3. Bracket Finish	
LU	soft white	+\$0
CN	metallic champagne	+ \$o
MS	metallic silver	+\$o

Step 4. Trim Finish		
8Q	folkstone grey	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0

Step 5. Canopy Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$o

Step 6. Edge Band Fabric

See application chart and textiles list for fabric usage and numbers. First 2 digits of number indicate fabric line; remaining digit(s) indicate fabric color.

Price Category 1 +\$o



Step 1.

R2100.

Step 2. Width 48 48" wide

60" wide 60

Step 3. Surface Material

laminate


Prices for Steps 1-3. R2100. 48 \$767 60 \$924

Step 4. Top Finish

Solid-Color Laminate folkstone grey 8Q **+\$**o 91 white +\$o LU soft white **+\$**o \mathbf{WL} sandstone +\$o

Step 5.	Bracket/Leg Finish	
LU	soft white	+ \$o
CN	metallic champagne	+\$10
MS	metallic silver	+\$10

Step	6. Glide Finish	
8Q	folkstone grey	+\$o
LU	soft white	+\$o
WL	sandstone	+\$o



Specification Information

Step 1.

R2190.

Step 2.	Position
L	left-hand support
R	right-hand support

Prices for Steps 1-2. R2190. L \$29 \$29

Step	3. Finish	
LU	soft white	+ \$o
CN	metallic champagne	+\$5
MS	metallic silver	+\$5



Step 1.

R2600.


Step 2. Height


A seated height

Step 3. Surface Material

L laminate

E formcoat[™]







Specification Information

Step 1.

R1364. \$87



Specification Information	1
Step 1.	
R1366.	\$26



Step 1.

R3211.

Step 2. Cabinet Height

48 48"-high cabinet60 60"-high cabinet

Step 3. Door

L left-hinged doorR right-hinged door

Step 4. Interior Configuration

For 48"-high cabinet (48)

N no interior components

A 2 shelves

C 2 file frames, 1 shelf, 1 drawer

For 60"-high cabinet (60)

N no interior components

A 3 shelves


C 4 file frames, 1 shelf, 1 drawer

Prices for Steps	1-4.		
	N	Α	C
R3211. 48 L	\$826	884	1029
R	\$826	884	1029
60 L	\$918	1005	1237
R	\$918	1005	1237

Step 5	. Cabinet/Door Finish	
LU	soft white	+\$o
CN	metallic champagne	+\$50
MS	metallic silver	+\$50

Step	6. Lid/Top/Interior/Base Finish	
8Q	folkstone grey	+\$0
LU	soft white	+ \$o
WL	sandstone	+ \$o
Stan	7 Lock Ontion	

Step	7. Lock Option	
KA	keyed alike	+\$o
KD	keyed differently	+\$o



Specification Information

Step 1.

R322

Step 2. Cabinet Height

1. 48"-high cabinet

2. 6o"-high cabinet

Step 3. Upper Support Arm Height

For 48"-high cabinet (1.)

48 48" upper support arm height

For 60"-high cabinet (2.)

48 48" upper support arm height60 60" upper support arm height

Step 4. Attachment Bracket

S single bracket

Step 5. Door

L left-hinged doorR right-hinged door

Step 6. Interior Configuration

For 48"-high cabinet (1.)

N no interior components

A 2 shelves

C 2 file frames, 1 shelf, 1 drawer

For 60"-high cabinet (2.)


N no interior components

3 shelves

C 4 file frames, 1 shelf, 1 drawer

Prices for Steps 1-6.						
	LN	LA	LC	RN	RA	RC
R3221. 48 S	\$826	884	1029	826	884	1029
R3222. 48 S	\$918	1005	1237	918	1005	1237
60 S	\$918	1005	1237	918	1005	1237

Step 7.	Cabinet/Door Finish	
LU	soft white	+\$o
CN	metallic champagne	+\$50
MS	metallic silver	+\$50




Step	8. Lid/Top/Interior/Base Finish	
8Q	folkstone grey	+\$o
LU	soft white	+ \$o
WL	sandstone	+\$ o
Step	9. Lock Option	
KA	keyed alike	+\$o
KD	keyed differently	+\$o
Kυ	keyed differently	+30


Spec	cification Information	
Step	1.	
R3230.		\$52
Step	2. Finish	
8Q	folkstone grey	+\$o
LU	soft white	+\$0
WL	sandstone	+\$0

+\$o

+\$o



Spec	Specification Information		
Step 1	l.		
R323	1.	\$130	
Step 2	2. Finish		
8Q	folkstone grey	+\$0	



Specification Information		
Step	1.	
R3232.		\$156
Step	2. Finish	
8Q	folkstone grey	+\$0
LU	soft white	+\$0
WL	sandstone	+\$0

Resolve® Storage

LU


WL

soft white

sandstone

R3320.


Back-to-Back Attachment Bracket, R3291. Cabinets



metallic silver

MS

Spec	cification Information	
Step	1.	
R3291.		\$69
Step:	2. Finish	
LU	soft white	+\$0
CN	metallic champagne	+\$o



metallic champagne

metallic silver

Specification Information

+\$0

CN

MS

Add-On Ladder Shelf


Step 1.		
R3320.		
Step 2. Shelf Height		
6 6"-high shelf		
Prices for Steps 1-2.		
R3320. 6	\$93	
Step 3. Finish		
LU soft white	+\$o	

+\$10

+\$10


MS

metallic silver



Specification Information	
Step 1.	
R3390.	\$260

Step 2	2. Finish	
LU	soft white	+\$ o
CN	metallic champagne	+\$10
MS	metallic silver	+\$10



	19 1.8	
Spec	cification Information	
Step:	1.	
R731	0.	
Step :	2. Depth	
13	13" deep	
Step	3. Surface Material	
L	laminate	
Prices	s for Steps 1-3.	
R731	0. 13	\$209
Step	4. Shelf Finish	
Solid-	-Color Laminate	
8Q	folkstone grey	+\$0
LU	soft white	+\$o
WL	sandstone	+\$0
Step	5. Bracket Finish	
LU	soft white	+ \$o
CN	metallic champagne	+\$0

+\$0

R3610.


Consideration Information	

Specification Information	
Step 1.	
R3610.	

Step 2. Upper Support Arm Height		
48	48" upper support arm height	
60	60" upper support arm height	

Prices for Steps 1-2.	
R3610. 48	\$170
60	\$237

Step 3. Finish					
LU	soft white	+\$o			
CN	metallic champagne	+\$15			
MS	metallic silver	+\$15			



Specification Information

sandstone

warm grey neutral


WL

WN

Step 1.		
Y5010.		\$46
Step :	2. Surface Finish	
8Q	folkstone grey	+\$0
BU	black umber	+\$ o
HF	inner tone light	+\$o
LT	light tone	+\$o
LU	soft white	+\$o
MT	medium tone	+\$o
SG	slate grey	+\$o

+\$o

+\$o



Specification Information Step 1. R3620.

Step 2. Attachment


2 underside of work surface attachment

Prices for Steps 1-2.

R3620. 2 \$131


Step 3. Finish

8Q folkstone grey +\$0
LU soft white +\$0
WL sandstone +\$0




Spe	cification Information	
Step	1.	
R7420.		\$66
Step	2. Finish	
8Q	folkstone grey	+\$0
LU	soft white	+\$0
WL	sandstone	+\$o

R7420.




Spec	ification Information	
Step 1	l.	
R7422.		\$181
Step 2	2. Finish	
8Q	folkstone grey	+\$o
LU	soft white	+\$0
WL	sandstone	+\$o




otep 1.				
R742	R7424.2424			
Step	2. Bracket Finish			
LU	soft white	+\$o		
CN	metallic champagne	+\$o		
MS	metallic silver	+\$0		
Step	3. Tray/Trim Finish			
8Q	folkstone grey	+\$o		
LU	soft white	+\$o		
WL	sandstone	+\$o		
WN	warm grey neutral	+ \$o		






Specification Information	
Step 1.	
R7413.	\$290



Specification Information	
Step 1.	
R7414.	\$284



Step 1.

R631

Step 2. Code Requirements

Prices for Steps 1-2.

0. meets local codes including New York City

R6310. \$584 Step 3. Post Finish CN metallic champagne +\$0 LU soft white +\$0 MS metallic silver +\$0

Step 4. Top Cap Finish 8Q folkstone grey +\$0 LU soft white +\$0 WL sandstone +\$0

Resolve® System 10-Day or Less	
Add-On Ladder Shelf	page(s) 21
Back-to-Back Attachment Bracket, Cabinets	21
Boomerang [™] Work Surface	15
Boundary Screen	12
Cabinet Drawer	20
Cabinet File Frame	20
Cabinet Shelf	19
Cabinet, Arm Attached	18
Cabinet, Pole Attached	18
Cable Bag	11
Cable Cover	10
Cable Management Clip	11
Cable Manager	16
Canopy	14
Ceiling Power/Data Entry	8
Coat Hook	24
Communication Port Faceplate Extender	12
Cord Holder	17
Data Faceplate Housing	10
Display Screen	13
Document Holder	26
Duplex Receptacle	9
Fixed Truss	7
Floor/Wall Power Entry	7
In-Line Pole	6
Input Table	16
Ladder Shelf Divider	22
Marker Board	25
Marker Screen	13
Mirror	26
Pencil Drawer	23
Pole Lamp	28
Pole Shelf	22
Power Jumper Conversion Kit, Power/Data Channel	9
Power/Data Channel	8
Short Pole	5
Signage	25
Support Arms	6
Swivel Tray Set	24
Tall Pole	5
Tool Rail	23
Utility Hook	27
Work Surface Bracket	15

G1189.	Communication Port Faceplate Extender	page(s) 12
R1110.	Tall Pole	5
R1120.	Short Pole	5
R1140.	In-Line Pole	6
R1210.	Support Arms	6
R1220.	Fixed Truss	7
R1311.	Duplex Receptacle	9
R1320.	Floor/Wall Power Entry	7
R1332.	Ceiling Power/Data Entry	8
R1341.	Power Jumper Conversion Kit, Power/Data Channel	9
R1351.	Power/Data Channel	8
R1360.	Data Faceplate Housing	10
R1361.	Cable Cover	10
R1362.	Cable Management Clip	11
R1364.	Cable Manager	16
R1365.	Cable Bag	11
R1366.	Cord Holder	17
R1410.	Boundary Screen	12
R1420.	Display Screen	13
R1430.	Canopy	14
R1450.	Marker Screen	13
R2100.	Boomerang™ Work Surface	15
R2190.	Work Surface Bracket	15
R2600.	Input Table	16
R3211.	Cabinet, Pole Attached	18
R3221.	Cabinet, Arm Attached	18
R3222.		
R3230.	Cabinet Shelf	19
R3231.	Cabinet File Frame	20
R3232.	Cabinet Drawer	20
R3291.	Back-to-Back Attachment Bracket, Cabinets	21
R3320.	Add-On Ladder Shelf	21
R3390.	Ladder Shelf Divider	22
R3610.	Tool Rail	23
R3620.	Swivel Tray Set	24
R6310.	Pole Lamp	28
R7310.	Pole Shelf	22
R7412.	Document Holder	26
R7413.	Mirror	26
R7414.	Utility Hook	27
R7420.	Coat Hook	24
R7422.	Signage	25
R7424.	Marker Board	25
Y5010.	Pencil Drawer	23



10-Day or Less Program

10-day or less products are designed for established Herman Miller dealers with pre-approved credit.

Products are distributed from multiple West Michigan manufacturing facilities. These include Holland, Spring Lake, and Zeeland. Orders will be shipped within 10 business days or less from the date of Herman Miller acknowledgement.

Ordering Procedures

- Please place orders through Order Manager. If this is not available to you, place orders through mail or fax. Verbal purchase orders will not be accepted.
 - Order Entry fax number for Passage®, 5000 Series, and Meridian® Filing and Storage: (616) 846 9236.
 - Order Entry fax number for all other products: (616) 654 3085.
- 2. Orders must be clearly marked "10-day or less program" and include only 10-day or less products. Orders not marked this way will be processed under standard lead times. Orders for standard lead times must be placed on a separate purchase order.
- Only fabrics and finishes listed with each product are available through the 10-day or less program.
- 4. For any 10-day or less project over \$250,000 list price, please contact your Customer Care representative within 48 hours of order entry to reserve lead time.
- For more information, contact your Customer Care representative at: (866) 854 3048 EXT 3400.

Shipments and Delivery

Per Herman Miller Terms and Conditions.

Changes and Cancellation

Per Herman Miller Terms and Conditions.

HermanMiller March 2008



Keyed-Alike Locks

All components with locks may be specified keyed alike. Products with keyed-alike locks will be shipped with lock chassis installed. Installation of lock cylinders will be on-site according to instructions provided. Herman Miller, Inc. will not be responsible for lock cylinder installation.

When specifying product keyed-alike, include separate lines on your order for the lock cylinders.

For Action Office®, **Ethospace®**, **or Passage® products**, list cylinder part number and key number (232092-XXX); select a key number (or numbers) between 226 and 427, excluding numbers 408 and 412.

For Tu $^{\circ}$ Filing and Storage, Meridian $^{\circ}$ Filing and Storage, or Herman Miller 5000 Series, see the following charts.

Keyed-alike locks are field installed.

To order keyed-alike locks for Action Office® Series 1 and 2 door panels, please contact Customer Care.

A master key can be used to open any lock on an attached or freestanding component. In addition, a removal key or lock change tool is required to remove lock plugs. Customers interested in ordering master keys, removal keys, or lock change tools should contact Customer Care.

For Tu Filing and Storage, Meridian Filing and Storage, or Herman Miller 5000 Series desk components with pedestals, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KA	1B2JKP-XXX ²	black	BT series 1-165
KA	1B2JK7-XXX ¹	chrome	UM series 226-427
KA	1B2JK6-XXX ²	chrome	BT series 1-165

For 5000 Series flipper door unit with bezel or credenza storage cabinet with bezel, specify as follows:

Specification Code	Key Number	Color	Lock Series
KA	232092-XXX ¹	black	UM series 226-427
KA	1B2JKP-XXX ²	black	BT series 1-165
KQ	1B2JK7-XXX ¹	chrome	UM series 226-427
KQ	1B2JK6-XXX ²	chrome	BT series 1-165

Key Number:

XXX¹ = a key number between 226 and 427 (excluding 408 and 412)

 XXX^2 = a key number between 1 and 165

HermanMiller October 2012



Proprietary Textiles Application Chart — 10-Day Workspaces

Available

Application Chart —	Action Office® Panels/Connecto				S	SI	Canvas Office Landscape® Tiles						
10-Day Workspaces	nuc			-	ᇋ	Screens	e _®			Screens	Z.		
10 Day Workspaces	0)/	,,		.	nne	Sci	cap	ors		cre	8 -	rds	
	lels	Doors	ş	ors	١ق	ing	gpu	õ		\Z\ .	er	lackboards	
• Available	Paı	ā	Jarc	ĕl.	les/	ach	La	oer	sus	ηda	ᆲ	3C K	
	ce.	obe	kb	per		Att	ice	ili.	ree	i on	SF		
Application Note: Herman Miller cannot guarantee material/pattern)Ę	<u></u>	Tac	:==	ace.	эсе	Off.	®	s Sc	@ ·	erie •	erle er	
alignment in adjacent products. For example, a fabric's pattern may) uc	yle	yle	yle	Sp	Sp	/as	ag	sag	Sec. 1	2 2	ט ויָי	=
not align from one screen to the next, or from one panel to the next.	Actio	B-Style Flipper	B-Style Tackboards	E-Style Flipper Doors	Ethospace® Tiles/Connectors	Ethospace Attaching	Can	Passage® Flipper Doors	Passage Screens	Resolve® Boundary	5000 Series Flipper Doors	Seating	למו
Price Category 1													
8A Bubbletack			1	T				- 1	- 1	•	Т	Т	
2V Chain	•	•	•	•	•		22	3	15	\top	3	3	┨
8T Crossing (85)	5	2	2	•			•	3	15			-	6
95 Gem	2	2	2	•	•		•	3	15			3	-
2l Grasscloth		•	•	•	•		•	3	15			3	\neg
8B Multiscrim™				\top	\neg	•	\exists	_		•	_	1	-
5T Resonance	•	•	•	•	•		•	3	15	\top	3	3	-
8C Scrim Trim				\top	\dashv	\neg	\neg	_		•	1	+	
ZM Silkworm		•	•	•	•		•	3	15	\top	3	3	\neg
 22F Slant	10		•		•		•	3	15	_	-	3	\dashv
ZZ Slideshow		2		•	•		•	3	15			3	-
Price Category 2											7		
51 Cord	•	•	•	•	•		•	3	15		3	3	
92 Crepe	2		•	•		\dashv		3	15	+	_	_	-
57 Frost	•		•	•	•	\dashv	•	3	15	_	-	3	\dashv
84 Grosgrain	5		_	•		-	•	3	15	-	-	3	-
4N Horizon	2	2	2			\dashv			رد	_		3	\dashv
3A Moiré	-	2	2	•	•	\dashv	22	3	15			3	\dashv
8V Railroad		2	2	•	\dashv	\dashv		3	15	_	-	3	-
8R Twist (5S)	4	2	2	•		\dashv		3	15			_	6
Price Category 3	4				_			ا ر	ارد		7	1	
70 Bento	ا د ا	2	2	•			•	ا د	15		2	2	
1FA_ Circuit	2	2	2	•	•	\dashv	•	3	15 15	+	-	3	•
8S Coil	2	2	2	•	•	\dashv	•		15	_	-		-
1FB_ Connection		-	-	•	•	\dashv	•	3	15		-	3	-
1FC _ Current		•	•	•	•	\dashv	•	3	15		-	3	-
8Z Glaze	•	•	•	•	•	-	•	3	15	_	_	3	-
47 Ground Cloth®		•	•	•	•			3	_	_	_	3	-
		_	2	•	•		•	3	15	-	-	3	-
5D Kira 2 8L Savannah	2	20	•	•	•		•				3	3	-
	\vdash	20	_		_	\dashv	_	_	45	\dashv	_	+	\dashv
67 Soba 8U Stitches (5Z)	5	-	-	4	-	\dashv	-	3	15	\rightarrow		3	_
8W Strands		_	_	_	_		\dashv	3	15		-	-	6
68 Udon	•	•	•	•	•	_	•	3	15	_	-	3	-
	5	•	•	<u> </u>	_		•	3	15		3	3	_
Price Category 4													
2W Gleam	•	•	•	•	•		-	_		\dashv	3	\perp	\perp
2X Glisten	•	•	•	•	•	_	•	_	15		-	3	_
6S Quilty	2	2	2	•	•	_	-	$\overline{}$	15			3	-
63 Sironetta	•	•	•	•	•		•	3	15		3	3	_

- 2 Available on all products except 54" and 60" wide.
- 3 Fabric is railroaded for all widths.
- Not available on Action Office acoustical panels and 4 not available on 54" and 60" wide products.
- 5 Not available on Action Office acoustical panels.
- 6 Available on seating products in select colors. See the "Proprietary Textile Colors-10-Day Seating" appendix.
- Not available on Action Office connectors, cable management, and spacers.
- Fabric is railroaded for all widths, except on Passage full-height screens. 15

ffice® Panels/Connectors

- Available only on Ethospace B-Style.
- Not available as railroaded application option for Chain (2V__) and Moiré (3A__).

HermanMiller March 2015



Gem

54" wide

9503 Red

9501 Sesame

9502 Tangerine

9510 Berry Blue

100% antimony-free polyester

Price Category 2 **Price Category 1**

Scrim Trim

100% recycled polyester
2V02 Oyster
2V04 Linen
2V05 Wicker
2V08 Spring Wood
2V09 Iceberg
Crossing
54" wide
86% antimony-free polyester
14% polyester
8T03 Wicker
8T04 Porcelain
8T06 Sepia
8T07 Pumpkin
8T10 Tomato
8T11 Mulberry
8T13 Green Apple
8T14 Loden
8T17 Cerulean
8T18 Indigo
8T19 Shale
8T21 Bark
8T22 Tin
8T23 Graphite

8T24 Black

Crossing

54" wide

14% polyester 8502 Oyster

For systems products only.

86% antimony-free polyester

Bubbletack

100% polyester

8A02 Pearl Grey

8A19 Spa Blue

Chain

66" wide

8A07 Pebble Beige

8A01 Seashell White

9512	Green Apple
	Black
9515	Slate Grey
9516	

Grass	scloth
66" w	<i>r</i> ide
100%	recycled polyester
2101	Silver Birch
2102	Pampas
2103	Sedge
2107	Lea
	Taro
Mult	iscrim™
60" w	vide
	polyester
8B01	Seashell White
	Pearl Grey
	Pebble Beige
8B19	Spa Blue
Reso	nance
66" w	vide
100%	polyester
5T04	Greige
5T05	Porcelain
5T06	Alabaster
5T15	Iris

5T28 Sugar

712	GICCII Appic
	Black
515	Slate Grey
516	Fog
Gras	scloth
6" w	vide
00%	recycled polyester
101	Silver Birch
102	Pampas
103	Sedge
107	Lea
108	Taro
Multi	iscrim™
0" w	vide
	polyester
B01	Seashell White
B02	Pearl Grey
	Pebble Beige
B19	Spa Blue
Reso	nance
6" w	vide
00%	polyester
T04	Greige
T05	Porcelain
T06	Alabaster
	Iric

61" wide	
82% polyester	
18% sp	pandex
8C01	Seashell White
8C02	Pearl Grey
Silkwo	orm
66" wi	de
58% re	cycled polyester
42% pc	olyester
2M01	Cocoon
2M02	Pongee
2M03	Saffron
2M04	Tussah
Slant	
Slant	de
66" wi	de Olyester
66" wid 51% po	
66" wid 51% po 49% re	olyester
66" wid 51% po 49% re 22F01	olyester cycled polyester
66" wid 51% po 49% re 22F01 22F02	olyester ocycled polyester Beech Nut
66" wid 51% po 49% re 22F01 22F02 22F12	olyester cycled polyester Beech Nut Chamois
66" wid 51% po 49% re 22F01 22F02 22F12	olyester ecycled polyester Beech Nut Chamois Silver Birch Blue Stone
66" wid 51% po 49% re 22F01 22F02 22F12 22F13	olyester ecycled polyester Beech Nut Chamois Silver Birch Blue Stone
66" wid 51% po 49% re 22F01 22F02 22F12 22F13	olyester ocycled polyester Beech Nut Chamois Silver Birch Blue Stone Shale
66" wid 51% po 49% re 22F01 22F02 22F12 22F13 22F15	olyester ocycled polyester Beech Nut Chamois Silver Birch Blue Stone Shale

9261	Shale
9262	Graphite
	Tomato
9264	Green Apple
Frost	
66" w	ide
100%	recycled polyes
5701	Bisque
5701	Bisque
5701 5702	, , ,
5701 5702 5703	Bisque Abalone Porcelain
5701 5702 5703 5704	Bisque Abalone Porcelain

Cord

66" wide

49% polyester

5103 Linen

5104

5105

Crepe 54" wide

9209

9241

9243 9244

5102 White Ash

Bamboo

Sepia

5111 Spring Wood

100% recycled polyester

Beachglass Midnight

Artichoke 9260 Brownstone

Smoke

Claret

9201 Licorice 9203

51% antimony-free polyester

Gross	grain
66" w	ide
100%	recycled polyester
8401	Pearl
8402	White Ash
8404	Khaki
8412	Tin

HermanMiller April 2015

44% polyester 2Z01 Cinema 2Z03 Shutter 2Z04

2Z05

Scenic

Portrait

2Z09 Exposure

Proprietary Textile Colors — 10-Day Workspaces

continued

Appendix: Proprietary Textile Colors — 10-Day Workspaces

Price Category 2

continued

Price Category 3

Horizon 54" wide 65% antimony-free polyester 35% polyester 4N01 Rye Grass 4N02 Sugar Pine 4N04 White Ash 4N05 Spring Wood

Moiré

4N09 Oat Grass

54" wide	
100%	recycled polyester
3A01	Concrete
3A03	Rattan
3A04	Chambray
3A12	Cork

Railroad 54" wide

100%	recycled polyester
8V01	Straw
8V05	Root
8V06	Wicker
8V09	Slate

Twist	t
54" W	vide
80% 8	antimony-free polyester
13% r	recycled polyester
7% F	oolyester
8R05	Wicker
8R07	Squash
	Cayenne
8R10	Poppy
8R12	Garnet
8R14	Tin
	Shale
8R16	Graphite
8R17	Birch
8R18	Sepia
8R21	Periwinkle
	Blueberry
8R23	Green Apple
	Loden
8R25	Turquoise

Twist

For systems products only.	
54" w	ide
80% a	ntimony-free polyester
13% recycled polyester	
7% p	olyester
5S01	Pearl
5S02	lvory
5S03	Ovster

Bento

54" wide	
100%	antimony-free polyester
7003	Khaki
7004	Truffle

Circuit

54" wide	
100%	recycled polyester
1FA2	Mango
1FA6	Berry Blue
1FA8	Green Apple
1FA9	Graphite
1FAA	Black

Coil

54" wide			
100% recycled polyester			
8501	Nougat		
8506	Claret		
8S11	Hemlock		
8S12	Java		
8S16	Ink		
8S17	Black		

Connection

66" W	ide
100%	antimony-free polyester
1FB1	Oyster
1FB2	Linen
1FB3	Iceberg
1FB4	Silver Pine
1FB9	Metal
1FB4	Silver Pine

Current

66" wide			
	100%	antimony-free polyester	
	1FC1	Oyster	
	1FC2	Linen	
	1FC3	Iceberg	
	1FC4	Silver Pine	
	1FC9	Metal	

Glaze 66" wide 100% recycled polyester 8Z01 Wicker 8Z03 Porcelain 8Z06 Rye 8Z07 Frost 8Z08 Silver Birch

Ground Cloth

	Ground Cloth			
	66" wide			
100% polyester				
	4701 Vapor Grey			

Kira 2

54" w	ide
100%	recycled polyester
5D13	Oasis
5D15	Ash
5D16	Falcon

Savannah

66" wide			
76% recycled polyester			
24% polypropelene			
8L01	Pearl		
8L07	Linen		
8L10	Frost		

Soba

66" w	ide	
100% antimony-free polyester		
6701	Steam Grey	
6704	Khaki	
6705	Oyster	

April 2015 HermanMiller

Appendix: Proprietary Textile Colors — 10-Day Workspaces

Proprietary Textile Colors — 10-Day Workspaces

continued

Price Category 3

continued

Price Category 4

Stitches 54" wide 54% polyester 46% recycled polyester 8U02 Rye 8U03 Khaki 8U07 Brick 8U11 Evening Blue 8U12 Charcoal 8U14 Olive

Stitches

8U16 Cocoa

8U17 Seed

For systems products only.
54" wide
54% polyester
46% recycled polyester
5201 White Ash

Strands 66" wide

100% recycled polyester 8W01 Pebble 8W02 Porcelain 8W03 Taupe 8W05 Khaki 8W08 Tin

Udon

66" wide 100% antimony-free polyester 6801 Steam Grey 6804 Khaki 6805 Oyster

Gleam 66" wide 100% recycled polyester 2W06 Khaki 2W08 Reed

Glisten 66" wide 84% polyester 16% recycled polyester 2X02 Rye 2X05 Iceberg 2X09 Pewter

Quilty 56" wide 100% antimony-free polyester GreenShield 6S01 Wicker 6S05 Squash

6S05 Squasn 6S06 Cayenne 6S10 Mink 6S11 Green Apple

Sironetta 66" wide

2X10 Ash

100% recycled polyester
6301 Acapella
6302 Sonata
6303 Interlude
6308 Harmony

HermanMiller April 2015

For more information about our products and services or to see a list of dealers, please visit us at HermanMiller.com or call (800) 851 1196.

This book is recyclable. Printed in U.S.A. on recycled paper.

© 2015 Herman Miller, Inc., Zeeland, Michigan

WermanMiller, , 3D Intelligent, AO, Action Office, Aeron, ArcSpan, Ardea, Aside, Avall, Avive, Canvas Office Landscape, Caper, Celle, Co/Struc, Daisyone, Eames, Eco-Dematerialized, Embody, Envelop, Equa 2, Ergon 3, Ethospace, Fine-Tune, FlexFront, Flo, Formcoat, Formwork, Ground Cloth, Herman Miller for the Home, Herman Miller Healthcare, Intersect, Kinemat, Lapjack, Layout Studio, Lifework, Limerick, Live Unframed, Living Office, Locale, Maharam, Meridian, Mirra, Passage, Pellicle, Perspectives, PostureFit, Prospects, Public Office Landscape, Resolve, Rodney, Sayl, Setu, Thrive, Tu, Wishbone, Y-Tower, and Z-Axis are among the registered trademarks of Herman Miller, Inc., and its owned subsidiaries.

Mbout Face, AireWeave, Albert, Backfit, Bubbletack, Burdick Group, Butterfly Back, Celeste, Cellular Suspension, Clam, Compass, Connect, DOT, Duracare, Durawrap, EnhancedAccess, Everywhere, Flex-Edge, Flute, Harmonic, Herman Miller International Collection, Herman Miller Select, Hopsak 2, Iota, Jaw, Keyless Entry, Latitude, Locale, Logic Power Access Solutions, Loop, Lyris, Lyris 2, Metaform Portfolio, Multiscrim, My Studio Environments, Nelson, Pixelated Support, Q, Recline Selector, Renew, Sense, SoftPad, Stackable, Stackable Storage, Swoop, Tone, TriFlex, Twist, and Wireframe are among the trademarks of Herman Miller, Inc., and its owned subsidiaries.

SM TAP, Textile Alliance Program, and Herman Miller Options are among the service marks of Herman Miller, Inc.

Alexander Girard® is a registered trademark of The Alexander Girard Estate.

Chemsurf® is a registered trademark of Wilsonart International.

Corian® is a registered trademark of E.I. du Pont de Nemours and Company Corporation.

Crypton® is a registered trademark of Crypton, Inc.

DACRON® is a registered trademark of INVISTA S.a r.l.

Edelman® Leather is a registered trademark of Edelman Leather, Inc.

 $\mathsf{FLEXNET}^{\scriptscriptstyle\mathsf{TM}}$ is a trademark of Milliken & Company.

Floor Saver Glide® is a registered trademark of Carpin Manufacturing, Inc.

Geiger® is a registered trademark, and Bumper™ and Ward Bennett™ are trademarks, of Geiger International.

Goetz[™] is a trademark of Mark W. Goetz.

Hang-It-All® is a registered trademark of Lucia Eames Demetrios, d.b.a. Eames Office.

Holophane® is a registered trademark of Holophane.

Ingeo™ is a trademark of Cargill Dow LLC.

iPad® is a registered trademark of Apple, Inc.

LifeSize® is a registered trademark of LifeSize Communications, Inc.

Magis®, Bombo®, and Me Too® are registered trademarks of Magis SpA.

 ${\tt Microsoft^0}$ and ${\tt Natural^0}$ Keyboard are registered trademarks of Microsoft Corporation.

MOTOROLA XOOM™ is a trademark of Motorola Trademark Holdings, LLC.

Noguchi® and the Noguchi table configuration (trade dress) are registered trademarks, and Rudder Table™ is a trademark, of The Isamu Noguchi Foundation and Garden Museum.

Place Textiles® is a registered trademark of Place Textiles.

SuperSeat $\!\!^{\scriptscriptstyle{\mathsf{TM}}}$ is a trademark of Dahti Seating, a division of ITW.